

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	15	("20020008016" "20020135947" "20020167768" "20030002229" "20030030944" "20030035256" "20030143431" "20030206383" "20040061986" "20040100737" "5898548" "6430010" "6466419" "6700760" "6943993").PN.	US-PGPUB; USPAT	OR	ON	2008/06/24 23:16
L2	2403	((360/324.2) or (360/319) or (360/324.11) or (360/324.12)).CCLS.	US-PGPUB; USPAT	OR	OFF	2008/06/24 23:27
L3	3086	360/324.2 360/319 360/324.11 360/324.12	US-PGPUB; USPAT	OR	ON	2008/06/24 23:27
L4	3287	2 3	US-PGPUB; USPAT	OR	ON	2008/06/24 23:27
L5	245	@pd> "20071226" and 4	US-PGPUB; USPAT	OR	ON	2008/06/24 23:27
L6	22	@ad< "20040421" and 5	US-PGPUB; USPAT	OR	ON	2008/06/24 23:27
L7	56	@rlad< "20040421" and 5	US-PGPUB; USPAT	OR	ON	2008/06/24 23:27
L8	74	6 7	US-PGPUB; USPAT	OR	ON	2008/06/24 23:27
L9	380	shield\$7.clm. same (lead or electrode).clm. and 4	US-PGPUB; USPAT	OR	ON	2008/06/24 23:29
L10	154	shield\$7.clm. same (lead or electrode).clm. same (domain or bias\$7 or hard). clm. and 4	US-PGPUB; USPAT	OR	ON	2008/06/24 23:30

L11	74	shield\$7.clm. same (lead or electrode).clm. same (domain or bias\$7 or hard). clm. same gap.clm. and 4	US-PGPUB; USPAT	OR	ON	2008/06/24 23:30
L12	1	10/828292	US-PGPUB; USPAT	OR	ON	2008/06/24 23:31
L13	0	11 and 12	US-PGPUB; USPAT	OR	ON	2008/06/24 23:31
L14	1	shield\$7.clm. same (lead or electrode).clm. and 12	US-PGPUB; USPAT	OR	ON	2008/06/24 23:31
L15	1	shield\$7.clm. same (lead or electrode).clm. same (domain or bias\$7 or hard). clm. and 12	US-PGPUB; USPAT	OR	ON	2008/06/24 23:32
L16	1	shield\$7.clm. same (lead or electrode).clm. same (domain or bias\$7 or hard). clm. same gap.clm. and 12	US-PGPUB; USPAT	OR	ON	2008/06/24 23:32
L17	1	shield\$7.clm. same (lead or electrode).clm. same (domain or bias\$7 or hard). clm. same gap.clm. and 12 and lobe	US-PGPUB; USPAT	OR	ON	2008/06/24 23:32
L18	0	shield\$7.clm. same (lead or electrode).clm. same (domain or bias\$7 or hard). clm. same gap.clm. and 4 and lobe	US-PGPUB; USPAT	OR	ON	2008/06/24 23:32

6/ 24/ 2008 11:34:18 PM

C:\Documents and Settings\crenner\My Documents\EAST\Workspaces\default.wsp